

# ENCLOSED GOOSENECK

CAR HAULERS



24' – 30'

## STANDARD FEATURES

- > All-Aluminum Construction
- > 16" O/C Wall & Roof Studs
- > 16" O/C Floor Crossmembers
- > 2"x8" Subframe Tubing
- > Dexter Torsion Ride Axles
- > Smooth .030" Bonded Side Panels
- > One-Piece Aluminum Roof
- > Rear Ramp Door w/Spring Assist
- > 3/4" Water Resistant Decking
- > Polished Aluminum Fender Flares
- > White Luan Interior Walls w/T-Channel Trim
- > 96" Tapered Gooseneck Attic
- > 48" Beavertail Construction
- > 32"x72" Side Access Door
- > 3 Interior Dome Lights
- > Roof Vent
- > Adjustable Gooseneck Coupler w/2-5/16" Ball
- > Recessed LED Lights
- > Recessed HD D-Rings
- > (2) 15000# Safety Chains
- > Limited Lifetime Warranty

## STANDARD SPECIFICATIONS

TRAILER MODEL	8.5x24 Gooseneck	8.5x26 Gooseneck	8.5x28 Gooseneck	8.5x30 Gooseneck
Model Number	MEG8.5x24	MEG8.5x26	MEG8.5x28	MEG8.5x30
Box (WxLxH)	99"x16'x7'	99"x18'x7'	99"x20'x7'	99"x22'x7'
Interior (WxLxH)	96"x15'2"x6'10"	96"x17'2"x6'10"	96"x19'2"x6'10"	96"x21'2"x6'10"
Overall (WxLxH)	101"x24'x8'11"	101"x26'x8'11"	101"x28'x8'11"	101"x30'x8'11"
Deck Height	15"	15"	15"	15"
Rear Door Opening (WxH)	89"x81"	89"x81"	89"x81"	89"x81"
Axle(s) - Qty/Rating	2-5200# Braked	2-5200# Braked	2-5200# Braked	2-5200# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	225/75R15	225/75R15	225/75R15	225/75R15
GVWR	9990#	9990#	9990#	9990#
Curb Weight	4075#	4305#	4530#	4770#
Payload	5915#	5685#	5460#	5220#
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round

## OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" to Box Height (PBF)
Add 6" to Box Height (PBF)
Add 9" to Box Height (PBF)
Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)
White Vinyl Backed Luan (Ceiling Only; PBF)
FLOORING OPTIONS
Upgrade to TPO Coin Flooring (Black; PLF)
Upgrade to 3/4" Quad-Ply Decking
AXLE OPTIONS
Upgrade to 2-6K Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade)
TIE DOWN OPTIONS
5000# Recessed Heavy Duty D-Ring w/ Backing Plate (Installed)
Zinc 6000# Recessed Swivel D-Ring w/ Backing Plate (Installed)
Upgrade to Zinc 6000# Recessed Swivel D-Rings (From 5000# Recessed HD D-Ring w/ Backing Plate; Installed)

ACCESSORIES
8' Flat Front 4 Door Overhead Cabinet
8' Flat Front 4 Door Base Cabinet (Black)
TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (6-Lug)
Spare 15" Aluminum Wheel w/ 225/75R15 Tire (6-Lug)
Spare 16" Silver Mod Wheel w/ 235/80R16 Tire
2024 Interior Elevated Spare Tire Mount (Universal)
12V LIGHTING & ELECTRICAL OPTIONS
Upgrade to 12V Electric Pedestal Jack w/Battery & Box Installed
LED Scare Light (Porch Light) w/12V Wall Switch
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)
Recessed LED Puck Light Package (Interior): (8) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch (If In Ceiling, Replaces Incandescent Dome Lights)

## COLOR OPTIONS

Windstar Silver	Flat Black	Crystal White
Indigo Blue	Penske Yellow	Forest Green
Orange	Charcoal	Pewter Metallic
Victory Red	Champagne	Brandywine

**32' – 38'**

### STANDARD FEATURES

- > All-Aluminum Construction
- > 16" O/C Wall & Roof Studs
- > 16" O/C Floor Crossmembers
- > 2"x8" Subframe Tubing
- > Dexter Torsion Ride Axles
- > Smooth .030" Bonded Side Panels
- > One-Piece Aluminum Roof
- > Rear Ramp Door w/ Spring Assist
- > 3/4" Water Resistant Decking
- > Polished Aluminum Fender Flares
- > White Luan Interior Walls w/ T-Channel Trim
- > 96" Tapered Gooseneck Attic
- > 48" Beavertail Construction
- > 32"x72" Side Access Door
- > 3 Interior Dome Lights
- > Roof Vent
- > Adjustable Gooseneck Coupler w/ 2-5/16" Ball
- > Recessed LED Lights
- > Recessed HD D-Rings
- > (2) 15000# Safety Chains
- > Limited Lifetime Warranty

### STANDARD SPECIFICATIONS

TRAILER MODEL	8.5x32 Gooseneck	8.5x34 Gooseneck	8.5x36 Gooseneck	8.5x38 Gooseneck
Model Number	MEG8.5X32	MEG8.5X34	MEG8.5X36	MEG8.5X38
Box (WxLxH)	99"x24'x7'	99"x26'x7'	99"x28'x7'	99"x30'x7'
Interior (WxLxH)	96"x23'2"x6'10"	96"x25'2"x6'10"	96"x27'2"x6'10"	96"x29'2"x6'10"
Overall (WxLxH)	101"x32'x8'11"	101"x34'x8'11"	101"x36'x8'11"	101"x38'x8'11"
Deck Height	15"	15"	15"	15"
Rear Door Opening (WxH)	89"x81"	89"x81"	89"x81"	89"x81"
Axle(s) - Qty/Rating	2-5200# Braked	2-5200# Braked	2-5200# Braked	2-5200# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	225/75R15	225/75R15	225/75R15	225/75R15
GVWR	9990#	9990#	9990#	9990#
Curb Weight	4995#	5225#	5500#	5695#
Payload	4995#	4765#	4490#	4295#
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round

### OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" to Box Height (PBF)
Add 6" to Box Height (PBF)
Add 9" to Box Height (PBF)
Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)
White Vinyl Backed Luan (Ceiling Only; PBF)
FLOORING OPTIONS
Upgrade to TPO Coin Flooring (Black; PLF)
Upgrade to 3/4" Quad Ply Decking
AXLE OPTIONS
Upgrade to 2-6K Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade)
TIE DOWN OPTIONS
5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)
Zinc 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)
Upgrade to Zinc 6000# Recessed Swivel D-Rings (From 5000# Recessed HD D-Ring w/Backing Plate; Installed)

ACCESSORIES
8' Flat Front 4 Door Overhead Cabinet
8' Flat Front 4 Door Base Cabinet (Black)
TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (6-Lug)
Spare 15" Aluminum Wheel w/ 225/75R15 Tire (6-Lug)
Spare 16" Silver Mod Wheel w/ 235/80R16 Tire
Spare 17.5" Silver Mod Wheel w/ 215/75R17.5 Tire
2024 Interior Elevated Spare Tire Mount (Universal Fitment)
12V LIGHTING & ELECTRICAL OPTIONS
Upgrade to 12V Electric Pedestal Jack w/Battery & Box Installed
LED Scare Light (Porch Light) w/12V Wall Switch
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)
Recessed LED Puck Light Package (Interior): (8) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch (If In Ceiling; Replaces Incandescent Dome Lights)

### COLOR OPTIONS

		
Windstar Silver	Flat Black	Crystal White
		
Indigo Blue	Penske Yellow	Forest Green
		
Orange	Charcoal	Pewter Metallic
		
Victory Red	Champagne	Brandywine

# ENCLOSED GOOSENECK

## CAR HAULERS CONTINUED

40' – 53'

### STANDARD FEATURES

- > All-Aluminum Construction
- > 16" O/C Wall & Roof Studs
- > 16" O/C Floor Crossmembers
- > 2"x8" Subframe Tubing
- > Torsion Ride Suspension
- > Smooth .030" Bonded Side Panels
- > One-Piece Aluminum Roof
- > Rear Ramp Door w/Spring Assist
- > 3/4" Water Resistant Decking
- > Polished Aluminum Fender Flares
- > White Luan Interior Walls w/T-Channel Trim
- > 96" Tapered Gooseneck Attic
- > 48" Beavertail Construction
- > 32"x72" Side Access Door
- > 3 Interior Dome Lights
- > Roof Vent
- > Adjustable Gooseneck Coupler w/2-5/16" Ball
- > Recessed LED Lights
- > Recessed HD D-Rings
- > (2) 15000# Safety Chains
- > Limited Lifetime Warranty

### STANDARD SPECIFICATIONS

TRAILER MODEL	8.5x40 Gooseneck	8.5x42 Gooseneck	8.5x44 Gooseneck	8.5x46 Gooseneck	8.5x48 Gooseneck	8.5x50 Gooseneck	8.5x53 Gooseneck
Model Number	MEG8.5X40	MEG8.5X42	MEG8.5X44	MEG8.5X46	MEG8.5X48	MEG8.5X50	MEG8.5X53
Box (WxLxH)	99"x32'x7'	99"x34'x7'	99"x36'x7'	99"x38'x7'	99"x40'x7'	99"x42'x7'	99"x45'x7'
Interior (WxLxH)	96"x31'2"x6'10"	96"x33'2"x6'10"	96"x35'2"x6'10"	96"x37'2"x6'10"	96"x39'2"x6'10"	96"x41'2"x6'10"	96"x44'2"x6'10"
Overall (WxLxH)	101"x40'x8'11"	101"x42'x8'11"	101"x44'x8'11"	101"x46'x8'11"	101"x48'x8'11"	101"x50'x8'11"	101"x53'x8'11"
Deck Height	15"	15"	15"	15"	15"	15"	15"
Rear Door Opening (WxH)	89"x81"	89"x81"	89"x81"	89"x81"	89"x81"	89"x81"	89"x81"
Axle(s) - Qty/Rating	3 - 5200# Braked	3 - 5200# Braked	3 - 5200# Braked	3 - 5200# Braked	3 - 5200# Braked	3 - 5200# Braked	3 - 5200# Braked
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	225/75R15	225/75R15	225/75R15	225/75R15	225/75R15	225/75R15	225/75R15
GVWR	15600#	15600#	15600#	15600#	15600#	15600#	15600#
Curb Weight	6205#	6450#	6695#	7020#	7350#	7695#	8000#
Payload	9395#	9150#	8905#	8580#	8250#	7905#	7600#
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round

### OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" to Box Height (PBF)
Add 6" to Box Height (PBF)
Add 9" to Box Height (PBF)
Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)
White Vinyl Backed Luan (Ceiling Only; PBF)
FLOORING OPTIONS
Upgrade to TPO Coin Flooring (Black; PLF)
Upgrade to 3/4" Quad Ply Decking
AXLE OPTIONS
Upgrade to 3-6K Torsion Braked Axles (From 3-5K Braked; Includes 16" Tire Upgrade)
Upgrade to 3-7K Torsion Braked Axles (From 3-5K Braked; Includes 16" Tire Upgrade)
Upgrade to 3-8K Torsion Braked Axles (From 3-5K Braked; Includes 17.5" Tire Upgrade)
TIE DOWN OPTIONS
5000# Recessed Heavy Duty D-Ring w/ Backing Plate (Installed)
Zinc 6000# Recessed Swivel D-Ring w/ Backing Plate (Installed)
Upgrade to Zinc 6000# Recessed Swivel D-Rings (From 5000# Recessed HD D-Ring w/ Backing Plate; Installed)

ACCESSORIES
8' Flat Front 4 Door Overhead Cabinet
8' Flat Front 4 Door Base Cabinet (Black)
TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (6-Lug)
Spare 15" Aluminum Wheel w/ 225/75R15 Tire (6-Lug)
Spare 16" Silver Mod Wheel w/ 235/80R16 Tire
Spare 17.5" Silver Mod Wheel w/ 215/75R17.5 Tire
2024 Interior Elevated Spare Tire Mount (Universal Fitment)
12V LIGHTING & ELECTRICAL OPTIONS
Upgrade to 12V Electric Pedestal Jack w/Battery & Box Installed
LED Scare Light (Porch Light) w/12V Wall Switch
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)
Recessed LED Puck Light Package (Interior): (8) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch (If In Ceiling, Replaces Incandescent Dome Lights)

### COLOR OPTIONS

		
Windstar Silver	Flat Black	Crystal White
		
Indigo Blue	Penske Yellow	Forest Green
		
Orange	Charcoal	Pewter Metallic
		
Victory Red	Champagne	Brandywine

# CAR HAULER & GOOSENECK POPULAR OPTIONS

## CONSTRUCTION OPTIONS

CONSTRUCTION OPTIONS
Upgrade to 48" V-Nose (From Flat Front w/ Cast Corners)
Add Slope in V-Nose
Cast Polished Corners for Flat Front
Upgrade to Radius Roof Construction (Up to 30' Models; Not Available w/Sloped V-Nose, Cast Corners, or Rear Canopies)
2' Round Nose w/Anodized Nose Cone
3" Extra Height
6" Extra Height
9" Extra Height
12" Extra Height
15" Extra Height (Requires .080 Wall Stud Upgrade and HD Rear Ramp)
18" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080 Wall Stud Upgrade)
21" Extra Height (Requires .080 Wall Stud Upgrade and HD Rear Ramp)
24" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080 Wall Stud Upgrade)
6" Height Decrease
12" Height Decrease
Additional Length in 2' Intervals (8.5' Wide Models)
Upgrade Trailer Sub Frame to 2"x8" (From 2"x6"; PBF)
Reverse Beavertail Construction (7' & Wider Models)
12" Extended Tongue (For 3K Tandem Axle Enclosed with 2"x5" Frame; Includes Center Beam Upgrade)
16" Extended Tongue (For 5K Tandem Axle Enclosed; Trailer Must Have 2"x6" Frame or Larger)
Upgrade to 3" Adjustable 2-5/16" A-Frame Coupler
Upgrade to 8000# Pedestal Jack (From Wheel or Center Jack)

## DOORS, RAMPS, & COMPARTMENTS

DOORS, RAMPS, & COMPARTMENTS
32"x72" Radius RV Door w/Screen (Window Optional)
Upgrade to Dexter 32"x72" Radius Door (From 32"x72" Piano Hinged Door)
Upgrade to 32"x72" Radius RV Door w/Screen (Window Optional; From Standard 32"x72" Side Access Door)
Upgrade to 36" Wide Side Access Door (From 32")
Upgrade to 48" Wide Side Access Door (From 32")
48"x72" Split Side Access Door(s)
Upgrade to 48"x72" Split Side Access Door (From 32"x72" Side Access Door)
Upgrade to 78" Height Side Access Door (From 72"; Not Available For Radius RV Door)
Double Barn Doors (Replaces Standard Rear Ramp; Removes Beavertail Construction)
Barn Doors on Side of Trailer (74"W x 72"H)
Ramp Door w/Spring Assist on Side of Trailer (74"W x 72"H)
Upgrade to X-Wide 95" Rear Opening (Rear Ramp Only)
Diamond Plate Transition Flap (Ramp to Box)

CONSTRUCTION OPTIONS (CONTINUED)
Upgrade to 10000# Pedestal Jack (From Wheel or Center Jack)
Upgrade to Electric Landing Gear (Gooseneck Models Only)
Upgrade to Big Foot Hydraulic Landing Gear (Gooseneck Models Only; Single Leg)
Upgrade to 8K Big Foot Hydraulic Jack (Bumper Pull; Flat Front Models Only)
Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)
Upgrade to Trussed Roof System (Not Compatible w/Radius Roof)
Upgrade to .080 Wall Studs
Upgrade Wall Studs to 2"x2"
Upgrade Ceiling Studs to 2"x2"
Walk On Roof (Reinforced; PBF)
Heavy-Duty Winch Mount (Winch Not Included)
8' Platform Roof w/Ladder & Rail Kit
14' Catwalk (Includes Ladder to Roof & 4 Ladder Racks)
18' Catwalk (Includes Ladder to Roof & 5 Ladder Racks)
20' Catwalk (Includes Ladder to Roof & 6 Ladder Racks)
Ladder to Roof (Outside V-Nose)
Upgrade to Roller on Rear Ladder Rack
Ladder Racks
Rear Canopy Loading Light System (2013 Version; Not Available w/Radius Roof)
Rear Canopy Loading Light System (2020 Version; Not Available w/Radius Roof)
Rear Canopy Loading Light System - 2013 Version (Not Available w/Radius Roof)
Rear Canopy Loading Light System - 2020 Version (Not Available w/Radius Roof)

DOORS, RAMPS, & COMPARTMENTS (CONTINUED)
Aluminum Starter Flap to Rear Ramp
Add (2) 2x4 Wingstock Stringers to Rear Ramp (CH Grade Only; Maximum Weight Capacity 5000#)
30"x30" Generator Door w/Salem Vent & Paddle Handle (Lockable)
36"x36" Generator Door w/Salem Vent & Paddle Handle (Lockable)
Generator Compartment (30"H x 30"W x 24"D; Door Optional)
Generator Compartment (36"H x 36"W x 24"D; Door Optional)
Slide-Out Generator Tray
Upgrade to Insulated Generator Compartment (Requires Generator Compartment)
Under-Gooseneck Generator Compartment w/Door & Vent (33"W x 20"H x 22"D)
Under-Gooseneck Storage Compartment w/Flip-Up Door (60"W x 28"H x 24"D)
Propane Compartment (30"H x 30"W x 24") w/Vented Non-Locking Door
Propane Compartment (36"H x 36"W x 24") w/Vented Non-Locking Door
14"x14" Fuel Door w/Paddle Handle

# CAR HAULER & GOOSENECK

## POPULAR OPTIONS CONTINUED

### DOORS, RAMPS, & COMPARTMENTS CONTINUED

DOORS, RAMPS, & COMPARTMENTS
24"x24" Fuel Door w/Paddle Handle
4'x4' Concession Door
4'x6' Concession Door
Concession Door 4'x8'
4'x4' Escape Door (Driver Side Over Wheel Well)
Elite Escape Door (6'x8' Fold-Up Door w/Removable Fender; Extends to 9' When Adding Spread Axle Upgrade)
30"x30" Hatch Door
RV-Style Pull-Out Step (Steel)
Aluminum Fold-Down Step
Powder Coated Aluminum Flip-Down Step
Upgrade to Powder Coated Aluminum Flip-Down Step (From Standard)
Aluminum Pull-Out Step
Aluminum Loop Step (Stationary)
Rear Full Length Step Across Rear of Trailer (12" Deep with Expanded Aluminum on Top; Barn Doors Only)

DOORS, RAMPS, & COMPARTMENTS (CONTINUED)
Aluminum Grab Handle For Side Access Door
Keyed Locking Hasps for Rear Ramp
Upgrade to L-Latches/Freezer Latches (Per Ramp; Replaces Locking Bars; Premium Models w/CH Grade Rear Ramp)
Upgrade to Premium Aluminum Ramp Hinges (Set; From S/S Strap Hinges; Premium CH/GN Models)
Upgrade to Full Piano Hinge For Rear Ramp
Locking Bar for Side Access Door
Keyed Locking Hasps for Side Door Locking Bar
Upgrade to Full Piano Hinge For Side Access Door
Rear Door Air Curtain
Pull-Down Screen for Rear Door Opening
Pop-Out Tent Bed (60"H x 80"L Rough Opening)
Keyless Entry System (For Side Access Door)
Upgrade to 6' Extruded Aluminum Bi-Fold Ramp Extension
Rear Stowable Ramp Kit w/(2) 26"x6' Ramps (Extrusion to Hook Ramps, Ramps to Stow Interior of Barn Doors, 4 Extra Strap Hinges)

### EXTERIOR OPTIONS

EXTERIOR OPTIONS
.040 Skin Upgrade (Black, White, & Silver Only)
.050 Skin Upgrade (Black & White Only)
Upgrade to .078 PolyCOR Exterior Skin (Available in Black, White, Charcoal & Silver)
Anodized Aluminum Side & Rear Trim Panel (12"; PBF)
Aluminum Diamond Plate Side & Rear Trim Panel (12"; PBF)
Anodized Aluminum Side & Rear Trim Panel (24"; PBF)
Aluminum Diamond Plate Side & Rear Trim Panel (24"; PBF)
Upgrade to Larger 7" Bottom Trim (PBF)
Upgrade to 36" Stone Guard from 24"

EXTERIOR OPTIONS (CONTINUED)
Upgrade to 48" Stone Guard from 24"
Two-Tone Color Package w/No Anodized Divider
Two-Tone Color w/6" Anodized Divider
Two-Tone Color w/12" Anodized Divider
Two-Tone Color w/24" Anodized Divider
Upgrade to Anodized Nose Cone
Add Red & White DOT Tape to Trailer (PLF; Required On All Trailers Over 10,000lb GVWR)
Upgrade to Translucent Roofing (From Mill-Finish Aluminum; PBF)

### INTERIOR OPTIONS

INTERIOR OPTIONS
White .030 Aluminum Side Walls (Bonded)
White .030 Aluminum Side Walls (Screwed)
White .030 Aluminum Ceiling (Bonded)
White .030 Aluminum Ceiling (Screwed)
White Vinyl Backed Luan (Ceiling Only; PBF)
Upgrade to 3/8" Water Resistant Walls (From White Luan Walls; PBF)
Upgrade to 3/8" Plywood Walls (From White Luan Walls; PBF)
Upgrade to 1/2" Plywood Walls (Cargo Trailers; PBF)
3/4" Foam Insulation (Side Walls; PBF)
3/4" Foam Insulation (Ceiling; Requires Ceiling Liner)
.030 Aluminum Cove (All Colors)

INTERIOR OPTIONS (CONTINUED)
Anodized Roof Coves
Anodized Spring Cover
Diamond Plate Spring Cover
Drive Over Fender Kit (Heavy Duty; 3/16" Mill Finish Aluminum)
Drive Over Fender Kit (Sloped w/Ski Guides; .090 Mill Finish)
2" Foam Insulation (Ceiling Only; PBF)
Upgrade to 2" Foam Insulation (Ceiling Only; PBF)
.030" Aluminum Spring Assist Cover for Rear Ramp Door
Partition Wall w/32" Access Door
Diamond Plate Kick Plate (6")
Diamond Plate Kick Plate (12")



# CAR HAULER & GOOSENECK

## POPULAR OPTIONS CONTINUED

### INTERIOR OPTIONS CONTINUED

INTERIOR OPTIONS
Diamond Plate Kick Plate (24")
Water Resistant Kick Plate (12")
Extruded Aluminum Kick Plate (6")

### FLOORING

FLOORING
Upgrade to 3/4" Pressure Treated Plywood (From 3/4" Water Resistant Decking)
Upgrade to 3/4" Quad-Ply Decking (Non-Skid Surface, FRP Backer; PBF)
Additional Layer of 3/4" Water Resistant Decking
Upgrade to Extruded Aluminum Floor (Charge for Ramp & V-Nose; PLF)
Aluminum Diamond Plate Floor Overlay (.045"; PLF)
Upgrade to Black Marble Vinyl Flooring (PLF)
Upgrade to Checkerboard Vinyl Flooring (Black & White; PLF)
Painted Epoxy Floor Covering (PBF)

### TIRE/WHEEL ASSEMBLIES & ACCESSORIES

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" 225 Black Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" 225 Flat Black Mod (Radial; From 15" 225 Silver Mod Radial Wheels; SPECIAL ORDER)
Upgrade to 16" Silver Mod Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum)
Upgrade to 16" Black Aluminum Wheels (Radial; From 15" 225 Aluminum)
Upgrade to 16" G-Rated Silver Mod Wheels (Radial; From 16" Silver Mod Radial)
Upgrade to 16" Aluminum Wheels (Radial; From 16" Silver Mod Wheels)
Upgrade to 16" Black Aluminum Wheels (Radial; From 16" Silver Mod Wheels)
Upgrade to 17.5" Aluminum Wheels (Radial; From 16" Aluminum Rims)
Upgrade to 17.5" Aluminum Wheels (Radial; From 16" Silver Mods)
Upgrade to 17.5" Aluminum Wheels (Radial; From 17.5" Silver Mod Wheels)
Upgrade to Black Aluminum Rims from Aluminum (Same Size)
Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (6-Lug)

### AXLES

AXLES
Upgrade to 3-3K Torsion Braked Axles (From 2-3K Braked)
Upgrade to 2-5K Torsion Braked Axles & Subframe (From 2-3K Torsion Braked Axles; Includes Axle Carrier Upgrade From 2"x5" to 2"x6")
Upgrade to 2-6K Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 2-7K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 2-8K Torsion Braked Axles (From 2-5K Braked; Includes 215/75R17.5 Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 3-3K Torsion Braked Axles (From 2-5K Torsion Axles)

INTERIOR OPTIONS (CONTINUED)
Carpet on Walls (Charcoal; 3' Up Wall; 4' for V-Nose; PLF)
Upgrade to Black TPO Coin Walls (3' Up Wall; 4' for V-Nose; PLF)

FLOORING (CONTINUED)
Upgrade to Rubber Coin Flooring (Black; PLF)
Upgrade to TPO Coin Flooring (Black)
Upgrade to Extruded Aluminum Floor from Rubber TPO Floor (Charge for Ramp & V-Nose; PLF)
Upgrade to Charcoal Carpet Flooring (PLF)
Upgrade to 3/4" Foam Insulated Floor
Aluminum Diamond Plate Runner (12" Single Row; .056"; PLF)
Aluminum Diamond Plate Runner (12" Double Rows; .056"; PLF)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES (CONTINUED)
Spare 16" Black Aluminum Wheel w/ 235/80R16 Tire
Spare 16" G-Rated Silver Mod Wheel w/ 235/80R16 Tire (14 Ply Rating)
Spare 17.5" Silver Mod Wheel w/ 215/75R17.5 Tire
Spare 17.5" Aluminum Wheel w/ 215/75R17.5 Tire
2024 Interior Elevated Spare Tire Mount (Universal Fitment)
Spare 15" Aluminum Wheel w/ 225/75R15 Tire (6-Lug)
Spare 15" Black Aluminum Wheel w/ 225/75R15 Tire
Spare 16" Silver Mod Wheel w/ 235/80R16 Tire
Spare 16" Aluminum Wheel w/ 235/80R16 Tire
Exterior Elevated Spare Tire Mount (Diamond Plate; Exterior Wall)
Spare Tire Mount (Interior; Floor Level)
Deluxe Recessed Spare Tire Well (Diamond Plate w/Hatch Cover)
Deluxe 8' Tire Rack (Foldable)
Integrated Heavy Duty Tire Rack

AXLES (CONTINUED)
Upgrade to 3-5K Torsion Braked Axles (From 2-5K Braked; 2x8 Frame Upgrade Required)
Upgrade to 2-7K Torsion Braked Axles (From 2-6K Braked; Includes 16" Tire Upgrade; 2x8 Frame Upgrade Required)
Upgrade to 2-8K Torsion Braked Axles (From 2-7K Braked; Includes 215/75R17.5 Tire Upgrade)
Upgrade to 3-7K Torsion Braked Axles (From 2-7K Braked)
Upgrade to 2-7K Torsion Braked Axles (From 3-5K Braked)
Upgrade to 3-6K Torsion Braked Axles (From 3-5K Braked; Includes 16" Tire Upgrade)
Upgrade to 3-7K Torsion Braked Axles (From 3-5K Braked; Includes 16" Tire Upgrade)

# CAR HAULER & GOOSENECK

## POPULAR OPTIONS CONTINUED

### AXLES CONTINUED

AXLES
Upgrade to 3-8K Torsion Braked Axles (From 3-5K Braked; Includes 215/75R/17.5 Tire Upgrade)
Upgrade to 2-3K Hydraulic Braked Axles (From 2-3K Torsion Braked)
Spread Axle Upgrade (w/Tapered Fender Skirting; 8 Wide Models w/Torsion Axles)
Spread Axle Upgrade (w/Tapered Fender Skirting; 8 Wide Models w/Leaf Spring Axles)

AXLES (CONTINUED)
Upgrade to Surge Braking System (Not Available on Gooseneck Models)
Upgrade to Zero Degree Axle(s)
Upgrade to 22.5 Degree Down Axle(s)
Upgrade to 45 Degree Down Axle(s)
Upgrade to Galvanized Axle (Torsion; Minimum 4 Week Lead Time)

### TIE-DOWNS

TIE-DOWNS
Light Duty Surface-Mounted D-Ring (Installed)
Light Duty Sliding D-Ring (For Recessed Slide Track; Installed)
Upgrade to Powder Coated Sliding D-Ring (From Existing Sliding D-Ring)
Heavy-Duty Recessed 5000# D-Rings w/ Backing Plate
Heavy-Duty Recessed 6000# Swivel D-Rings w/ Backing Plate (Zinc)
Heavy-Duty Recessed 6000# Swivel D-Rings w/ Backing Plate (Stainless Steel)
Upgrade to Stainless Steel 6000# Recessed Swivel D-Rings (From 5000# Recessed Heavy Duty D-Ring w/Backing Plate; Installed)
Single Stainless Steel Tube Style Wheel Chock for Single Piece of Slide Track (Installed)
Stainless Steel Tube Style Wheel Chock
Surface Mounted E-Track (Floor)
Surface Mounted E-Track (Wall)
HD Recessed E-Track w/Backing Plate (Floor)
Recessed Flip-Up Motorcycle Wheel Chock w/(4) Surface-Mounted D-Rings
Recessed Flip-Up Motorcycle Wheel Chock w/(4) Recessed Heavy Duty D-Rings

TIE-DOWNS (CONTINUED)
Recessed Flip-Up Motorcycle Wheel Chock
Surface-Mounted Wheel Chock (Aluminum; w/ Mounting Hardware)
Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Surface-Mounted D-Rings
Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Heavy Duty D-Rings
HD Recessed E-Track w/Backing Plate (Wall)
E-Track (Aluminum) Surface Mounted (Wall)
E-Track (Aluminum) HD Recessed w/Backing Plate (Floor)
E-Track (Aluminum) HD Recessed w/ Backing Plate (Walls)
Airline Track (Aluminum) Surface Mounted (Floor)
Airline Track (Aluminum) Surface Mounted (Wall)
Airline Track (Recessed in Floor; Aluminum, PLF)
Airline Track (Recessed in Wall; Aluminum, PLF)
Recessed Slide Track (Track Only; D-Rings Sold Separately)
Recessed Slide Track (2) Rows w/ (4) Sliding D-Rings
Powder Coated Slide Track Upgrade (To Existing Slide Track; PBF)

### 12V LIGHTING & ELECTRICAL

12V LIGHTING & ELECTRICAL
Add LED Backup Lights (Pair; Installed)
Additional LED Stop/Turn/Tail Lights (Pair; Installed)
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)
Upgrade to Additional LED Marker Lights Bullets
Diamond Plate Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)
Anodized Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)
(2) 12V LED Load Lights (Double Lights w/Single Switch; 950 Lumens)
12V LED Load Light (Single Light w/ Switch; 950 Lumens)
Recessed LED Exterior Load Light Package (Side of Trailer; 1 Light w/Switch & Housing, 950 Lumens)
12V LED Porch Light w/Wall Switch
K60 LED Exterior Scene Light Package: (1) 12V Wall Switch w/(2) K60 Scene Lights
Mid-Ship Turn Signals (For Tandem Fenders Only; Pair)
Angled Back Up Lights (Mounts on Side of Trailer)
Upgrade to 12V Electric Pedestal Jack w/Battery & Box Installed
Upgrade to 12V Electric Pedestal Jack w/o Battery

12V LIGHTING & ELECTRICAL (CONTINUED)
12V Power Jack (Cigarette Lighter Plug)
Upgrade to LED Economy Dome Light, 460 Lumens (From Incandescent Dome Light)
Additional 12V LED Dome Light (460 Lumens)
12 Volt Wall Switch
12 Volt Wall Switch (3-Way)
Upgrade to 12 Volt (3-Way) Wall Switch
LED Puck Light Package (Includes 8 Recessed Lights & Wall Switch; Requires Ceiling Liner)
Additional Recessed LED Puck Light
LED Puck Light Cabinet Package: (2) Round LED Flush Mount Dome Lights Under Overhead Cabinet, (1) 12V Wall Switch
18" 12V LED Light (Requires Ceiling Liner)
Upgrade to Permaseal Wire Connectors
Upgrade Premium Light Package (LED Strip Lights w/Integrated Backup Lights, Marker Lights w/Clear Lenses)
Upgrade to Premium Light Package (LED Strip Lights w/No Backup Lights, Marker Lights w/Clear Lenses)
Upgrade Interior Dome Light to 12V 18" LED Light

# CAR HAULER & GOOSENECK

## POPULAR OPTIONS CONTINUED

### 12V LIGHTING & ELECTRICAL CONTINUED

12V LIGHTING & ELECTRICAL
Upgrade to (3) 18" 12V LED Lights From (2) 4' LED Wraparound Lights (Requires Ceiling Liner)
Trickle Charger for Battery
Deep Cycle Marine Battery & Box (Wired)
12V USB-C and USB-A Dual Recessed Receptacle

### 110V LIGHTING & ELECTRICAL

110V LIGHTING & ELECTRICAL
110V Package #1: (1) 15 AMP Motorbase Plug, (1) Wall Switch, (1) Receptacle, (1) 4' LED Wraparound Light (No Additions Available w/Package #1)
110V Package #2: (1) 30 AMP Breaker, (1) 25' Shore Line, (2) 3 -Way Wall switches, (1) Standard Wall Receptacle, (1) GFCI Wall Receptacle, (2) 4' LED Wraparound Lights
110V Package #3: (1) 30 AMP Panel, (1) Wall Switch, (4) Standard Wall Receptacles, (1) GFCI Receptacle, (4) 4' LED Wraparound Lights, (1) Brace & Wire Stub for A/C Unit
110V Package #4: (1) 15 AMP Motorbase Plug, (2) Wall Receptacles
110V Package #5: (1) 60A Breaker Panel w/60A Converter & 50A Motorbase Plug, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) USB Wall Receptacle, (1) GFCI Wall Receptacle, (2) 4' LED Wraparound Lights, 12V Deep Cycle Battery & Box
15A Motorbase Plug
30A Motorbase Plug (Replaces Shore Line; 110V Package Required)
30A Power Converter (110V Pkg #2)
30A Power Cord 25' Long (For Motorbase Plug)
30A Generator Line Switch
Upgrade to 50 AMP Breaker Box (Requires 110V Pkg #2)

### CABINETS

CABINETS
V-Nose Base Cabinet, 2 Door (99" Wide Models; 83"W x 30"D x 37"H)
V-Nose Base Cabinet, 4 Door (99" Wide Models; 83"W x 30"D x 37"H)
Upgrade V-Nose Base Cabinet to Full Width/Depth of V-Nose (72", 80", & 84" Wide Models)
Upgrade V-Nose Base Cabinet to Full Width/Depth of V-Nose (90", & 99" Wide Models)
Upgrade V-Nose Overhead Cabinet to Full Width/Depth of V-Nose (72", 80", & 84" Wide Models)
Upgrade V-Nose Overhead Cabinet to Full Width/Depth of V-Nose (90" & 99" Wide Models)
V-Nose Overhead Cabinet, 2 Door (99" Wide Models; 56"W x 19"D x 19"H)
V-Nose Overhead Cabinet, 2 Door (99" Wide Models; 72"W x 19"D x 19"H; Special Option Cabinet)
4' Straight Wall Base Cabinet, 2 Door (48"W x 24"D x 37"H)
5' Straight Wall Base Cabinet, 2 Door (60"W x 24"D x 37"H)
6' Straight Wall Base Cabinet, 2 Door (72"W x 24"D x 37"H)
8' Straight Wall Base Cabinet, 2 Door (96"W x 24"D x 37"H)
8' Straight Wall Base Cabinet, 4 Door
Upgrade Base Cabinet to 28" L-Shape Extension
8' Flat Front 4 Door Base Cabinet

12V LIGHTING & ELECTRICAL (CONTINUED)
LED Interior Strip Light w/Housing Package (Per Foot, Per Section)
Wireless Backup Camera System w/7" LCD Screen
Add LED 6" Oval Alternating Flashing Safety Lights (Pair; Orange) w/Exterior Toggle Switch (Hardwired Into Auxiliary; 7-Way Plug Required)

110V LIGHTING & ELECTRICAL (CONTINUED)
50A Power Cord 25' Long (For Motorbase Plug)
60A Power Converter (110 Package Required)
110 Volt Wall Receptacle (Installed; Requires 110V Pkg)
110 Volt Combo USB/Wall Outlet Receptacle (Installed; Requires 110V Pkg #2)
110 Volt Wall Switch (3-Way; Requires 110V Pkg #2)
GFCI Wall Receptacle (Interior; Requires 30A Package)
GFCI Wall Receptacle (Exterior; Requires 30A Package)
4' LED Wraparound Light (Requires 110V Pkg)
500W Swing-Mount Quartz Light
13,500 BTU Roof Mounted Air Conditioner (Requires 110V Pkg #2)
Heat Strip for A/C Unit
Brace and Stub Wire for Future AC Installation (Requires 110V Pkg #2; 12 Gauge Wire and 20A Breaker)
Electric Heater: CADET Com-Pak Plus White Wall Fan, 1500 Watt (Requires 110V Pkg #2)

CABINETS (CONTINUED)
Add 4" Depth to 8' Flat Front 4 Door Base Cabinet (24" Deep)
Overhead Cabinet w/1 Flip-Up Door (48"W x 13"D x 18"H)
Overhead Cabinet, 2 Door (48"W x 13"D x 18"H)
Premium Overhead Cabinet w/1 Flip-Up Door (48"W x 13"D x 18"H)
Overhead Cabinet, 1 Door (62"W x 12"D x 18"H)
48" Economy Overhead Furnace Cabinet w/1 Flip-Up Door (Furnace Not Included)
60" Deluxe Overhead Furnace Cabinet w/1 Flip-Up Door (Furnace Not Included)
Deluxe Overhead Cabinet, 4 Door (72"W x 13"D x 18"H)
Deluxe Overhead Cabinet, 4 Door (96"W x 13"D x 18"H)
Overhead Cabinet w/2 Flip-Up Doors (96"W x 13"D x 18"H)
8' Flat Front 4 Door Overhead Cabinet
Add 8" Depth to 8' Flat Front 4 Door Overhead Cabinet (24" Deep)
Wheel Well Cabinet 2 Door w/Shelving (72"W x 6 3/4"D x 62"H)
Premium 96" Overhead Split Cabinet w/Center Shelf & 2 Flip-Up Doors (96"W x 18"D x 18"H)
Premium 50" Helmet Cabinet w/Hooks
24" Wardrobe Cabinet w/Single, Full-Height Door, (1) Shelf, (1) Clothing Rod (24"W x 24"D x 72"H)



# CAR HAULER & GOOSENECK POPULAR OPTIONS CONTINUED

## CABINETS CONTINUED

CABINETS
36" Wardrobe Cabinet w/Single, Full-Height Door, (1) Shelf, (1) Clothing Rod (36"W x 24"D x 76"H)
Premium Wall-Mounted Coat Hanger (47.5"; 10 Hooks)
Premium Ceiling-Mounted Coat Hanger (38"; 22 Hooks)
48" Deluxe Boot Box w/Padded Top (Ducted; Requires Furnace Package & Vertical Duct; Not Available for Gooseneck Models)
6' Horizontal Vented Duct (Angled End, 5 Vents)
8' Horizontal Vented Duct (8'x5"x5" w/5 Vents)
Vertical Corner Duct (Requires Furnace Package)

CABINETS (CONTINUED)
Add Heat Duct (PLF)
Clothes Rod for Overhead Cabinets (48" Cabinets only)
18" Shelving w/ Angled Gussets (PLF, Per Tier)
Upgrade to Formica Countertop (Base Cabinet Sold Separately)
4' Coat Rack Package (47' Slide Track w/ (6) Adjustable Hooks)
Standard Tool Crib Package - (1) 72x24 Horizontal Access Door (Over Fender, w/ Retainer Chains), (2) 38x22 Vertical Access Doors (Ahead/Behind Fender), Adjustable Shelf Brackets in Vertical Cabinets, 3/8" Water Resistant Liner (Interior & Exterior of Box Frame), 19"D x 42"H x 128"L Box Frame Inside Trailer, Hinged Lid (3 Sections)

## VENTS & WINDOWS

VENTS & WINDOWS
14"x14" Manual Roof Vent
12V Power Roof Vent
110V Power Roof Vent (Requires 30A Package)
Fantastic Fan/Vent (Dometic 22-0462) (Requires 30A Package)
Maxx-Air Roof Vent Cover
Directional Salem Vent Kit (Plastic; Pair)

VENTS & WINDOWS (CONTINUED)
Two-Way Directional Salem Vent Kit (Aluminum; Pair)
18"x24" Horizontal Radius Sliding Window w/ Screen
18"x24" Vertical Radius Sliding Window w/ Screen
24"x36" Radius Sliding Window w/ Screen
24"x36" Egress Sliding Window (Tinted w/ Screen)

## MISC. OPTIONS & ACCESSORIES

MISC. OPTIONS & ACCESSORIES
Fold-Down Sofa/Sleeper
Fold-Down Bunk Beds
Happi Jac Bed System w/ (1) Queen Size Mattress
Fold Down Bench (12"x48") Type: Work or Sitting
Fold-Down Padded Bench (48"L) Vertical Design
Premium 50" Fold-Up Padded Bench
Premium 36" Fold-Up Work Bench w/ Integrated Tool Storage
Premium Cup Holder
Premium (2) Race Fuel Holder
Premium (3) Race Fuel Holder
Basic Stereo Package - Includes (4) Boss Speakers
Stairs to the Gooseneck Area (24"W x 32"D)
30 Gallon Fuel Transfer System: Includes 30 Gallon Tank, Fill Nozzle & Hose, Control Panel w/ Gauge (Requires Marine Grade Battery)
20# Propane Tank w/ Regulator (Tongue-mounted Holder Included)
Tandem 20# Propane Tanks w/ Holder & LP Regulator
Upgrade to Tandem 20# Propane Tanks w/ Holder & LP Regulator (From 1-20lb)

MISC. OPTIONS & ACCESSORIES (CONTINUED)
30# Propane Tank w/ Regulator (Propane Compartment Required)
Upgrade to 30# Propane Tank from 20# Propane Tank w/ Heavy Duty Mount
Upgrade to (2) 30# Propane Tank from (1) 20# Propane Tank w/ Heavy Duty Mount ** Car Haulers Only **
Upgrade to Underslung Propane Tank (Requires Package Including Standard Propane Tank) **ONLY AVAILABLE ON DECKOVER MODELS**
Stabilizer Jacks (Interior Rear; Drop Down) ( Installed; Pair)
Bogey/Caster Wheels (Installed; Pair)
HD Drag Wheels (AH Version)
Stabilizer Jacks
Scissor Jacks (CAMPer Style; Pair)
Add Exterior Marine Grade Speakers to Stereo System (Pair)
Add 3-Bay Stainless Steel Sink (Sink Package Required)
2-Burner Propane Range (Installed In Cabinet Top) (Base Cabinet and Propane Tank Required)
5.0 Cu.Ft. Refrigerator (Recessed in Cabinet) (110V Package w/ 12V Battery or Propane w/ Safety Kit and 12V Battery Required) 24" WD X 26" LG (in cabinet)
1100W Microwave (1.2 Cu.Ft.; Recessed in Cabinet)

# CAR HAULER & GOOSENECK

## POPULAR OPTIONS CONTINUED

### SPECIAL PACKAGES

#### SPECIAL PACKAGES

Exterior Powder Coat Package (Cargo/Car Haulers): Includes Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim

Exterior Powder Coat Package (Goosenecks): Includes Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim

Basic Heater Package - Car Hauler Models (Includes: 20# Propane Tank (Tongue Mounted), White Luan Ceiling, Insulated Walls & Ceiling, 40K BTU Furnace, Safety Kit, Marine Grade Battery & Box, 48" Furnace Cabinet)

Basic Heater Package - Gooseneck Models (Includes: (2) 30# Propane Tank w/ Compartment (Under Goose), White Luan Ceiling, Insulated Walls & Ceiling, 40K BTU Furnace, Safety Kit, Marine Grade Battery & Box, 96" Furnace Cabinet w/ Integrated Boot Box)

#### SPECIAL PACKAGES (CONTINUED)

Basic Sink Package (Does Not Include Cabinet; Propane or 110V Power Package Required) (Includes: Stainless Steel Sink, 6 Gallon Water Heater, 20 Gallon Fresh Water Tank, 20 Gallon Grey Water Tank)

Custom Sink Package (Does Not Include Cabinet; Propane or 110V Power Package Required) (Includes: Stainless Steel Sink, 6 Gallon Water Heater, 38 Gallon Fresh Water Tank, (2) 23 Gallon Grey Water Tanks)

Kicker Stereo Package (Includes (6) Speakers, AMP & Subwoofer, with Clairion Face Unit w/ Bluetooth Capabilities.)

Mid-Level Stereo Package (Includes (4) Speakers, AMP & Subwoofer, Pioneer AM/FM/CD Player w/ Bluetooth, Battery Sold Separately)

# RAMP CAPACITY BY MODEL

Ramp Type	Applicable Models	Capacity
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes); AR 2.0 (All Sizes); WR 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes); AR 2.0 (Optional, All Sizes); WR 2.0 (Optional, All Sizes); FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (PAIR)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Patriot Ramps (Fold-Down)	(All Sizes)	4000# (PAIR)
Patriot Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Dump Trailer Ramps (Side-Stow, Optional)	(All Sizes)	4000# (PAIR)
ATV Ramps (83" Wide, Side-Stow)	(All Sizes)	1200# (PAIR)
ATV Ramps (88" Wide, Side-Stow)	(All Sizes)	750# (PAIR)
Open Motorcycle Ramp (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	MU-SLINGSHOT	1500#
Open Car Hauler 2.0 Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler 2.0 Ramps 10K (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler Standard Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Snow Ramp (Rear-Stow)	MFS	750#
Sport Deck (Rear-Stow, Telescoping Ramps)	MSD	1000#
Enclosed Cargo Ramp (4', 5', 6' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (7' 7.5' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (8.5' Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle Ramp (7' Wide)	(All Sizes)	1500#
Enclosed Car Hauler Ramp (8.5' Wide)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Rear)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (Crossover, Rear)	(All Sizes)	1500#

# TONGUE EXTENSION BY MODEL

TRAILER TYPE	ALLOWABLE EXTENSION	ADDITIONAL REQUIREMENTS	ITEM NUMBER	DESCRIPTION
Enclosed Cargo (4, 5-Wide)	N/A	FRAME UPGRADE REQUIRED, CONSULT ENGINEERING	N/A	N/A
Enclosed Cargo (6, 7, 7.5-Wide)	12"	ECONOMY MODELS REQUIRE CENTER BEAM UPGRADE	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Cargo (8.5-Wide, Premium)	12" (16" w/ UPGRADE)	MIN 6" FRAME FOR 16" TONGUE EXTENSION, UPGRADE MAY BE REQUIRED	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Motorcycle (7-Wide)	12"		TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Car Hauler (8.5-Wide, Premium)	16"		TONGUE16EXTCH	16" Extended Tongue (For 5k Tandem Axle Enclosed; Trailer Must have 2"x6" Frame or Larger) ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Car Hauler - All Sports (8.5-Wide)	N/A	EXTENDED TONGUE INCOMPATIBLE WITH FRONT RAMP	N/A	N/A
Enclosed Snowmobile (7, 7.5-Wide)	N/A	EXTENDED TONGUE INCOMPATIBLE WITH FRONT RAMP	N/A	N/A
Enclosed Snowmobile (101-Wide)	10"	REQUIRES 3x5 TONGUE UPGRADE w/ STRAIGHT-PULL COUPLER	TBD	TBD

\*\*Please note that all 5k tandem trailers w/ extended tongues require a minimum of 6" base frame, regardless of brand/model