

ENCLOSED INLINE SNOW

7' & 7.5' WIDE



7' WIDE

STANDARD FEATURES

- > All-Aluminum Construction
- > One-Piece Aluminum Roof
- > Reverse Beavertail Construction (w/ Perimeter Skirting)
- > V-Nose Construction w/12" Radius
- > 24" Bright Stone Guard
- > Torsion Ride Suspension
- > Spread Axle Design
- > Full Length Slide Track w/D-Rings
- > Tapered Rear Ramp Door w/Spring Assist
- > Tapered Front Ramp Door w/Spring Assist
- > Roof Vent
- > (3) Interior Dome Lights
- > Recessed LED Lights
- > 3/4" Water Resistant Decking
- > White Luan Walls w/12" WR Kick Plate
- > 2" A-Frame Coupler
- > Polished Aluminum Fenders
- > Smooth .030" Bonded Side Panels
- > 4" Trim (Top/Bottom/Rear)
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	E7X12 ENCLOSED SNOW	E7X14 ENCLOSED SNOW	E7X16 ENCLOSED SNOW	E7X18 ENCLOSED SNOW	E7X22 ENCLOSED SNOW
Model Number	MES7X12	MES7X14	MES7X16	MES7X18	MES7X22
Subframe	2"x5"	2"x5"	2"x5"	2"x5"	2"x5"
Floor Studs	24" O/C	24" O/C	24" O/C	24" O/C	24" O/C
Wall & Floor Studs	16" O/C	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxLxH)	7'x12'x78"	7'x14'x78"	7'x16'x78"	7'x18'x78"	7'x22'x78"
Interior (WxLxH)	81"x11'10"x76"	81"x13'10"x76"	81"x15'10"x76"	81"x17'10"x76"	81"x21'10"x76"
Overall (WxLxH)	101"x19'3"x8'7"	101"x21'3"x8'7"	101"x23'3"x8'7"	101"x25'3"x8'7"	101"x29'3"x8'7"
Deck Height	21"	21"	21"	21"	21"
Hitch Height	16"	16"	16"	16"	16"
Rear Door Opening (WxH)	74"x72"-1/4"	74"x72"-1/4"	74"x72"-1/4"	74"x72"-1/4"	74"x72"-1/4"
Front Door Opening (WxH)	55"x72"	55"x72"	55"x72"	55"x72"	55"x72"
V-Nose w/ 12" Radius	63"	63"	63"	63"	63"
Axle(s) - Qty/Rating	1-3500# Idler	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked
GVWR	2990#	6000#	6000#	6000#	6000#
Wheels	15" Silver Mods	15" Silver Mods	15" Silver Mods	15" Silver Mods	15" Silver Mods
Tires	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x66"	32"x66"	32"x66"	32"x66"	32"x66"
Power Connection	4-Way Flat	7-Way Round	7-Way Round	7-Way Round	7-Way Round
Coupler Rating/Ball Size	8000# / 2"	8000# / 2"	8000# / 2"	8000# / 2"	8000# / 2"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1450#	1700#	1850#	2000#	2175#
Payload	1540#	4300#	4150#	4000#	3825#



ENCLOSED INLINE SNOW

7' & 7'5" CONTINUED

7' WIDE *continued*

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" to Box Height (PBF)
Add 6" to Box Height (PBF)
Add 9" to Box Height (PBF)
EXTERIOR
Two-Tone Color Package w/6" Anodized Divider

INTERIOR
Upgrade to White Vinyl Faced Ceiling
DOOR/WINDOW/VENTS
Upgrade to 32"x72" Side Access Door
14"x14" Fuel Door w/Paddle Handle

COLOR OPTIONS

 Windstar Silver	 Flat Black	 Crystal White
 Indigo Blue	 Penske Yellow	 Forest Green
 Orange	 Charcoal	 Pewter Metallic
 Victory Red	 Champagne	 Brandywine

7'5" WIDE

STANDARD FEATURES

- > All-Aluminum Construction
- > One-Piece Aluminum Roof
- > Reverse Beavertail Construction (w/ Perimeter Skirting)
- > V-Nose Construction w/12" Radius
- > 24" Bright Stone Guard
- > Torsion Ride Suspension
- > Spread Axle Design
- > Full Length Slide Track w/D-Rings
- > Tapered Rear Ramp Door w/Spring Assist
- > Tapered Front Ramp Door w/Spring Assist
- > Roof Vent
- > (3) Interior Dome Lights
- > Recessed LED Lights
- > 3/4" Water Resistant Decking
- > White Luan Walls w/12" WR Kick Plate
- > 2" A-Frame Coupler
- > Polished Aluminum Fenders
- > Smooth .030" Bonded Side Panels
- > 4" Trim (Top/Bottom/Rear)
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	E7.5X14 ENCLOSED SNOW	E7.5X16 ENCLOSED SNOW	E7.5X18 ENCLOSED SNOW	E7.5X22 ENCLOSED SNOW	E7.5X24 ENCLOSED SNOW
Model Number	MES7.5X14	MES7.5X16	MES7.5X18	MES7.5X22	MES7.5X24
Subframe	2"x5"	2"x5"	2"x5"	2"x5"	2"x6"
Floor Studs	24" O/C	24" O/C	24" O/C	24" O/C	24" O/C
Wall & Floor Studs	16" O/C	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxLxH)	7'6"x14'x78"	7'6"x16'x78"	7'6"x18'x78"	7'6"x22'x78"	7'6"x24'x78"
Interior (WxLxH)	87"x13'10"x76"	87"x15'10"x76"	87"x17'10"x76"	87"x21'10"x76"	87"x23'10"x76"
Overall (WxLxH)	101"x20'2"x8'7"	101"x22'2"x8'7"	101"x24'2"x8'7"	101"x28'2"x8'7"	101"x30'2"x8'7"
Deck Height	21"	21"	21"	21"	21"
Hitch Height	18"	18"	18"	18"	18"
Rear Door Opening (WxH)	74"x72-1/4"	74"x72-1/4"	74"x72-1/4"	74"x72-1/4"	74"x72-1/4"
Front Door Opening (WxH)	61"x72"	61"x72"	61"x72"	61"x72"	61"x72"
V-Nose w/ 12" Radius	71"	71"	71"	71"	71"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked	2-3500# Braked
GVWR	6000#	6000#	6000#	6000#	6000#
Wheels	15" Silver Mods	15" Silver Mods	15" Silver Mods	15" Silver Mods	15" Silver Mods
Tires	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x66"	32"x66"	32"x66"	32"x66"	32"x66"
Power Connection	7-Way Round	7-Way Round	7-Way Round	7-Way Round	7-Way Round
Coupler Rating/Ball Size	8000# / 2"	8000# / 2"	8000# / 2"	8000# / 2"	8000# / 2"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1775#	1855#	1935#	2100#	TBD
Payload	4225#	4145#	4065#	3900#	TBD



ENCLOSED INLINE SNOW

7' & 7'5" CONTINUED

7'5" WIDE *continued*

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" to Box Height (PBF)
Add 6" to Box Height (PBF)
Add 9" to Box Height (PBF)
EXTERIOR
Two-Tone Color Package w/6" Anodized Divider

INTERIOR
Upgrade to White Vinyl Faced Ceiling
DOOR/WINDOW/VENTS
Upgrade to 32"x72" Side Access Door
14"x14" Fuel Door w/Paddle Handle

COLOR OPTIONS

 Windstar Silver	 Flat Black	 Crystal White
 Indigo Blue	 Penske Yellow	 Forest Green
 Orange	 Charcoal	 Pewter Metallic
 Victory Red	 Champagne	 Brandywine

ENCLOSED SNOW POPULAR OPTIONS

CONSTRUCTION OPTIONS

CONSTRUCTION OPTIONS
Upgrade to Radius Roof Construction (Up to 30' Trailers; Not Available w/Sloped V-Nose, Cast Corners, & Rear Canopies)
Add Slope in V-Nose
Upgrade to Non-Integrated Trailer Frame (PBF; Inline & Enclosed Deckover Only)
3" Extra Height
6" Extra Height
9" Extra Height
12" Extra Height
15" Extra Height (Requires .080" Wall Stud Upgrade and HD Rear Ramp)
18" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080" Wall Stud Upgrade)
21" Extra Height (Requires .080" Wall Stud Upgrade and HD Rear Ramp)
24" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080" Wall Stud Upgrade)
Height Decrease 6"
Height Decrease 12"
Additional Length in 2' Intervals (7' Wide)
Additional Length in 2' Intervals (7.5' Wide)
Additional Length in 2' Intervals (8.5' Wide)

CONSTRUCTION OPTIONS (CONTINUED)
Upgrade to 2 5/16" A-Frame Coupler (From 2" A-Frame Coupler)
Upgrade to 2-5/16" Straight Pull Coupler (From 2" Straight Pull Coupler; 7000# GVWR Max Rating)
Add Showing Beavertail (Deckover Models)
Reverse Beavertail Construction (7' & Wider)
Upgrade to 8000# Pedestal Jack (From Wheel or Center Jack)
Upgrade to 10000# Pedestal Jack (From Wheel or Center Jack)
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF)
Upgrade to Trussed Roof System (Not Compatible w/Radius)
Upgrade to .080" Wall Studs
Upgrade Wall Studs to 2"x2" (PBF)
Upgrade Ceiling Studs to 2"x2" (PBF)
Walk-On Roof (Reinforced; PBF)
Heavy Duty Winch Mount (Winch Not Included)
Rear Canopy Loading Light System – 2013 Version (Not Available w/Radius Roof)
Rear Canopy Loading Light System – 2020 Version (Not Available w/Radius Roof)

DOORS, RAMPS & COMPARTMENTS

DOORS, RAMPS & COMPARTMENTS
26"x58" Side Access Door
32"x58" Side Access Door w/Paddle Handle
32"x66" Side Access Door w/Paddle Handle
32"x72" Side Access Door w/Paddle Handle
32"x72" Radius RV Door w/Screen (Window Optional)
Upgrade to Dexter 32"x72" Radius Door (From 32"x72" Piano Hinged Door)
Upgrade to 32"x72" Radius RV Door w/Screen & Optional Window (From Standard 32"x72" Side Access Door)
Upgrade to 36" Wide Side Access Door (From 32")
Upgrade to 48" Wide Side Access Door (From 32")
48"x72" Split Side Access Door(s)
Upgrade to 48"x72" Split Side Access Doors (From 32"x72" Side Access Door)
Upgrade to 78" Height Side Access Door (From 72"; Excludes Radius RV Door)
Upgrade to Car-Hauler Grade Rear Ramp (From Standard Ramp)
Diamond Plate Transition Flap (Ramp to Box)
Aluminum Starter Flap to Rear Ramp
14"x14" Fuel Door w/Paddle Handle
24"x24" Fuel Door w/Paddle Handle

DOORS, RAMPS & COMPARTMENTS (CONTINUED)
30"x30" Hatch Door
RV-Style Pull-Out Step (Steel)
Aluminum Fold-Down Step
Powder Coated Aluminum Flip-Down Step
Upgrade to Powder Coated Aluminum Flip-Down Step (From Standard Step)
Aluminum Pull-Out Step
Aluminum Loop Step (Stationary)
Aluminum Grab Handle For Side Access Door
Keyed Locking Hasps for Rear Ramp
Locking Bar for Side Access Door
Keyed Locking Hasps for Side Door Locking Bar
Upgrade to Full Piano Hinge For Rear Ramp
Upgrade to Full Piano Hinge For Side Access Door
Rear Door Air Curtain
Pull Down Screen for Rear Door Opening
Keyless Entry System (For Side Access Door)

ENCLOSED SNOW POPULAR OPTIONS CONTINUED

EXTERIOR OPTIONS

EXTERIOR OPTIONS
.040" Skin Upgrade (Black, White, & Silver Only)
.050" Skin Upgrade (Black & White Only)
Anodized Aluminum Side & Rear Trim Panel (12"; PBF)
Aluminum Diamond Plate Side & Rear Trim Panel (12"; PBF)
Anodized Aluminum Side & Rear Trim Panel (24"; PBF)
Aluminum Diamond Plate Side & Rear Trim Panel (24"; PBF)
Upgrade to Larger 7" Bottom Trim (PBF)

EXTERIOR OPTIONS (CONTINUED)
Upgrade to 36" Stone Guard (From 24")
Upgrade to 48" Stone Guard (From 24")
Two-Tone Color Package w/No Anodized Divider
Two-Tone Color w/6" Anodized Divider
Two-Tone Color w/12" Anodized Divider
Two-Tone Color w/24" Anodized Divider
Upgrade to Anodized Nose Cone

INTERIOR OPTIONS

INTERIOR OPTIONS
White .030" Aluminum Side Walls (Bonded)
White .030" Aluminum Side Walls (Screwed)
White .030" Aluminum Ceiling (Bonded)
White .030" Aluminum Ceiling (Screwed)
White Vinyl Backed Luan Ceiling (PBF)
White Vinyl Faced Luan Walls
Upgrade to 1/2" Plywood Walls (PBF)
Upgrade to 3/8" Plywood Walls (PBF; May Extend Lead Time)
Upgrade to 3/8" Water Resistant Walls (From White Luan Walls; PBF)
Upgrade to 3/8" Plywood Walls (From White Luan Walls; PBF)
3/4" Foam Insulation (Side Walls; PBF)
3/4" Foam Insulation (Ceiling; Liner Required)
2" Foam Insulation (Ceiling Only; PBF)
Upgrade to 2" Foam Insulation (Ceiling Only; PBF)

INTERIOR OPTIONS (CONTINUED)
.030" Aluminum Cove (All Colors)
Anodized Roof Coves
Anodized Spring Cover
Diamond Plate Spring Cover
.030" Aluminum Spring Assist Cover for Front Ramp Door
.030" Aluminum Spring Assist Cover for Rear Ramp Door
Partition Wall w/32" Access Door
6" Diamond Plate Kick Plate
12" Diamond Plate Kick Plate
24" Diamond Plate Kick Plate
12" Water Resistant Kick Plate
6" Extruded Aluminum Kick Plate
Carpet on Walls (Charcoal Only; 3' Up Walls; 4' For V-Nose)
Upgrade to Black TPO Coin Walls (3' Up Walls; 4' For V-Nose; PLF)

FLOORING

FLOORING
Upgrade to 3/4" Pressure Treated Plywood (From 3/4" Water Resistant Decking)
Upgrade to 3/4" Quad-Ply Decking w/12" Quad-Ply Kick Plate (Non-Skid Surface; FRP Backer; PBF)

FLOORING (CONTINUED)
Additional Layer of 3/4" Water Resistant Decking
Upgrade to 3/4" Foam Insulated Floor

TRACK MATS & SKI GUIDES

TRACK MATS & SKI GUIDES
LowPro Grip Glides – 12' Box
LowPro Grip Glides – 14' Box
LowPro Grip Glides – 16' Box
LowPro Grip Glides – 18' Box
LowPro Grip Glides – 20' Box
LowPro Grip Glides – 22' Box
LowPro Grip Glides – 24' Box
LowPro Grip Glides – Front Ramp
LowPro Grip Glides – Rear Ramp

TRACK MATS & SKI GUIDES (CONTINUED)
LowPro Grip Glides – 60"x12' Crossover/Hybrid
LowPro Grip Glides – 12' Crossover/Hybrid
LowPro Grip Glides – 14'/16' Crossover/Hybrid
LowPro Grip Glides – 22' Crossover/Hybrid
LowPro Glides – 12' Box
LowPro Glides – 14' Box
LowPro Glides – 16' Box
LowPro Glides – 18' Box
LowPro Glides – 20' Box

ENCLOSED SNOW POPULAR OPTIONS CONTINUED

TRACK MATS & SKI GUIDES CONTINUED

TRACK MATS & SKI GUIDES
LowPro Glides – 22' Box
LowPro Glides – 24' Box
LowPro Glides – Front Ramp
LowPro Glides – Rear Ramp
LowPro Glides – 60"x12' Crossover/Hybrid
LowPro Glides – 12' Crossover/Hybrid
LowPro Glides – 14'/16' Crossover/Hybrid
LowPro Glides – 22' Crossover/Hybrid
Paddle Grabbers – Front Ramp
Paddle Grabbers – Rear Ramp
Ski Deflector for Rear Ramp
Ski Deflector for Front Ramp
TraxMat – 12' Box

TRACK MATS & SKI GUIDES (CONTINUED)
TraxMat – 14' Box
TraxMat – 16' Box
TraxMat – 18' Box
TraxMat – 20' Box
TraxMat – 22' Box
TraxMat – 24' Box
TraxMat – Front Ramp
TraxMat – Rear Ramp
TraxMat – 60"x12' Crossover/Hybrid
TraxMat – 12' Crossover/Hybrid
TraxMat – 14/16' Crossover/Hybrid
TraxMat – 20' Crossover/Hybrid
TraxMat – 22' Crossover/Hybrid

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 12" Aluminum Wheels (145/R12 Tire; From 12" Silver Mod)
Upgrade to 13" Silver Mod Wheels (From 12" E-Rated Silver Mod)
Upgrade to 13" Aluminum (Radial; From 13" Silver Mod Wheels)
Upgrade to 15" Silver Mod (From 12" E-Rated Wheels; Includes Drop Tongue)
Upgrade to 15" Silver Mod (From 13" Silver Mod)
Upgrade to 15" Aluminum Rims (From 15" Silver Mod)
Upgrade to 15" Black Aluminum (Radial; From 15" Silver Mod Radial Wheels)
Upgrade to 15" Flat Black Mod (Radial; From 15" Silver Mod Radial Wheels)
Upgrade to 15" Galvanized (Radial; From 15" Silver Mod Radial Wheels)
Upgrade to 15" 225 Silver Mod (From 15" 205 Silver Mod)
Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" 225 Black Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial)
Upgrade to 15" 225 Flat Black Mod (Radial; From 15" 225 Silver Mod Radial Wheels) – Special Order
Upgrade to Black Aluminum Rims (From Aluminum, Same Size)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES (CONTINUED)
Spare 12" E-Rated Silver Mod Wheel w/145/R12 Tire
Spare 12" Aluminum Wheel w/145R12 Tire
Spare 13" Silver Mod Wheel w/175/80R13 Tire
Spare 13" Aluminum Wheel w/175/80R13 Tire
Spare 13" Galvanized Wheel w/175/80R13 Tire
Spare 15" Silver Mod Wheel w/205/75R15 Tire
Spare 15" Aluminum Wheel w/205/75R15 Tire
Spare 15" Silver Mod Wheel w/225/75R15 Tire (6-Lug)
Spare 15" Aluminum Wheel w/225/75R15 Tire (6-Lug)
Spare 15" Black Aluminum Wheel w/225/75R15 Tire
2024 Interior Elevated Spare Tire Mount (Universal Fitment)
Exterior Elevated Spare Tire Mount (Diamond Plate; Exterior Wall)
Spare Tire Mount (Interior; Floor Level)
Deluxe Recessed Spare Tire Well (Diamond Plate w/Hatch Cover)

AXLES

AXLES
Upgrade to 2-2K Torsion Braked Axles (From 1-3K Torsion Idler)
Upgrade to 1-3K Torsion Braked Axle (From 1-3K Torsion Idler)
Upgrade to 2-3K Torsion Braked Axles (From 1-3K Torsion Idler)
Upgrade to 2-3K Torsion Braked Axles (From 2-2K Torsion Braked)
Upgrade to 3-3K Torsion Braked Axles (From 2-3K Braked)
Upgrade to 2-5K Torsion Braked Axles & Frame (From 2-3K Braked; Includes Axle Carrier Upgrade, 16" O/C Floor Stud Upgrade, & Upgrade to 15" 225 6-Lug Tires)
Upgrade to 2-3K Hydraulic Braked Axles (From 2-3K Torsion Braked)

AXLES (CONTINUED)
Spread Axle Upgrade for Torsion Axles w/Individual Fenders (7' & 7.5' Wide Models)
Spread Axle Upgrade for Leaf Spring Axles w/Individual Fenders (7' & 7.5' Wide Trailers)
Upgrade to Surge Braking System (Not Available for Gooseneck Models)
Upgrade to Zero Degree Axle(s)
Upgrade to 22.5 Degree Down Axle(s)
Upgrade to 45 Degree Down Axle(s)
Upgrade to Galvanized Torsion Axle (Minimum 4 Week Lead Time)

ENCLOSED SNOW POPULAR OPTIONS CONTINUED

TIE-DOWNS

TIE-DOWNS
Light Duty Surface-Mounted D-Ring (Installed)
Light Duty Sliding D-Ring (For Recessed Slide Track; Installed)
Upgrade to Powder Coated Sliding D-Ring (From Existing Sliding D-Ring)
Heavy-Duty Recessed 5000# D-Rings w/Backing Plate
Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Zinc)
Heavy-Duty Recessed 6000# Swivel D-Rings w/Backing Plate (Stainless Steel)
Recessed Flip-Up Motorcycle Wheel Chock w/(4) Surface-Mounted D-Rings
Recessed Flip-Up Motorcycle Wheel Chock
Surface-Mounted Wheel Chock (Aluminum, w/Mounting Hardware)
Recessed Flip-Up Motorcycle Wheel Chock w/(4) Recessed Heavy Duty D-Rings
Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Surface-Mounted D-Rings
Tandem Flip-Up Motorcycle Wheel Chocks w/(8) Heavy Duty D-Rings
Single Stainless Steel Tube Style Wheel Chock for Single Piece of Slide Track (Installed)

12V LIGHTING & ELECTRICAL

12V LIGHTING & ELECTRICAL
Add LED Backup Lights (Pair; Installed)
Additional LED Stop/Turn/Tail Lights (Pair; Installed)
Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair)
Upgrade to Additional LED Marker Lights Bullets
Diamond Plate Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)
Anodized Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed)
(2) 12V LED Load Lights (Double Lights w/Single Switch, 950 Lumens)
12V LED Load Light (Single Light w/Switch, 950 Lumens)
Recessed LED Exterior Load Light Package for Side of Trailer: (1) Light (950 Lumens) w/Switch & Housing
12V LED Porch Light w/Wall Switch
K60 LED Exterior Scene Light Package: (1) 12V Wall Switch w/(2) K60 Scene Lights
Mid-Ship Turn Signals (For Tandem Fenders Only; Pair)
Angled Back Up Lights (Mounts on Side of Trailer)
Upgrade to 12V Electric Pedestal Jack w/Battery & Box Installed
Upgrade to 12V Electric Pedestal Jack w/o Battery
12V Power Jack (Cigarette Lighter Plug)
Upgrade to LED Economy Dome Light (460 Lumens; From Incandescent Dome Light)
Additional 12V LED Dome Light (460 Lumens)
12 Volt Wall Switch

TIE-DOWNS (CONTINUED)
Stainless Steel Tube Style Wheel Chock
E-Track, Surface Mounted (Floor)
E-Track, Surface Mounted (Wall)
E-Track, HD Recessed w/Backing Plate (Floor)
E-Track, HD Recessed w/Backing Plate (Wall)
Aluminum E-Track, Surface Mounted (Wall)
Aluminum E-Track, HD Recessed w/Backing Plate (Floor)
Aluminum E-Track, HD Recessed w/Backing Plate (Wall)
Aluminum Airline Track, Surface Mounted (Floor)
Aluminum Airline Track, Surface Mounted (Wall)
Aluminum Airline Track, Recessed (Floor; PLF)
Aluminum Airline Track, Recessed (Wall; PLF)
Recessed Slide Track (Track Only; D-Rings Sold Separately)
Powder Coated Slide Track Upgrade (For Existing Slide Track; PBF)

12V LIGHTING & ELECTRICAL (CONTINUED)
12 Volt Wall Switch (3-Way)
Upgrade to 12 Volt (3-Way) Wall Switch
LED Puck Light Package: (8) Recessed Lights & Wall Switch (Requires Ceiling Liner)
Additional Recessed LED Puck Light
LED Puck Light Cabinet Package Under Overhead Cabinet: (2) Round LED Flush Mount Dome Lights w/(1) 12V Wall Switch
18" 12V LED Light (Requires Ceiling Liner)
Upgrade Interior Dome Light to 12V 18" LED Light
Upgrade to (3) 18" 12V LED Light (From (2) 4' LED Wraparound; Requires Ceiling)
Trickle Charger for Battery
Deep Cycle Marine Battery & Box (Wired)
12V USB-C and USB-A Dual Recessed Receptacle
LED Interior Strip Light w/Housing Package (Per Foot, Per Section)
Upgrade to 7-Way Plug w/Junction Box (From 4-Way Plug)
Upgrade to Permaseal Wire Connectors
Upgrade Premium Light Package (LED Strip Lights w/Integrated Backup Lights, Marker Lights w/Clear Lenses)
Upgrade to Premium Light Package (LED Strip Lights w/No Backup Lights, Marker Lights w/Clear Lenses)
Wireless Backup Camera System w/7" LCD Screen
Add LED 6" Oval Alternating Flashing Safety Lights (Orange; Pair) w/Exterior Toggle Switch (Hardwired Into Auxiliary; 7-Way Plug Required)

ENCLOSED SNOW POPULAR OPTIONS CONTINUED

110V LIGHTING & ELECTRICAL

110V LIGHTING & ELECTRICAL
110V Power Package #1: (1) 15 AMP Motorbase Plug, (1) Wall Switch, (1) Receptacle, (1) 4' LED Wraparound Light (No Additions Available w/Package #1)
110V Power Package #2: (1) 30 AMP Breaker, (1) 25' Shore Line, (2) 3 -Way Wall Switches, (1) Standard Wall Receptacle, (1) GFCI Wall Receptacle, (2) 4' LED Wraparound Lights
110V Power Package #3: (1) 30 AMP Panel, (1) Wall Switch, (4) Standard Wall Receptacles, (1) GFCI Receptacle, (4) 4' LED Wraparound Lights, (1) Brace and Wire Stub for A/C Unit
110V Power Package #4: (1) 15 AMP Motorbase Plug, (2) Wall Receptacles
110V Power Package #5: (1) 60A Breaker Panel w/60A Converter and 50A Motorbase Plug, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) USB Wall Receptacle, (1) GFCI Wall Receptacle, (2) 4' LED Wraparound Lights, 12V Deep Cycle Battery & Box
15A Motorbase Plug
30A Motorbase Plug (Replaces Shoreline; 110V Package Required)
30A Power Converter (110V Pkg #2)
30A Power Cord (25' Long; for Motorbase Plug)
30A Generator Line Switch

CABINETS

CABINETS
5' Angled Base Cabinet (V-Nose)
Overhead Cabinet, 1 Flip-Up Door (48"W x 13"D x 18"H)
Overhead Cabinet, 2-Door (48"W x 13"D x 18"H)
Overhead Premium Cabinet, 1 Flip-Up Door (48"W x 13"D x 18"H)
48" Economy Overhead Furnace Cabinet, 1 Flip-Up Door (Furnace Not Included)
Overhead Cabinet, 1-Door (62"W x 12"D x 18"H)
60" Deluxe Overhead Furnace Cabinet, 1 Flip-Up Door (Furnace Not Included)
Deluxe Overhead Cabinet, 4-Door (72"W x 13"D x 18"H)
Deluxe Overhead Cabinet, 4-Door (96"W x 13"D x 18"H)
Overhead Cabinet w/2 Flip-Up Doors (96"W x 13"D x 18"H)
96" Premium Overhead Split Cabinet w/Center Shelf, 2 Flip-Up Doors (96"W x 18"D x 18"H)
Premium 50" Helmet Cabinet w/Hooks

VENTS & WINDOWS

VENTS & WINDOWS
14"x14" Manual Roof Vent
12V Power Roof Vent
110V Power Roof Vent (Requires 30A Package)
Fantastic Fan/Vent (Dometic 22-0462; Requires 30A Package)
Maxx-Air Roof Vent Cover
Directional Salem Vent Kit (Plastic; Pair)

110V LIGHTING & ELECTRICAL (CONTINUED)

Upgrade to 50 AMP Breaker Box (Requires 110V Pkg #2)
50A Power Cord (25' Long; for Motorbase Plug)
60A Power Converter (110V Package Required)
110 Volt Wall Receptacle (Installed; Requires 110V Pkg)
110 Volt Combo USB/Wall Outlet Receptacle (Installed; Requires 110V Pkg #2)
110 Volt Wall Switch (3-Way; Requires 110V Pkg #2)
Interior GFCI Wall Receptacle (Requires 30A Package)
Exterior GFCI Wall Receptacle (Requires 30A Package)
4' LED Wraparound Light (Requires 110V Pkg)
500W Swing-Mount Quartz Light
13,500 BTU Roof Mounted Air Conditioner (Requires 110V Pkg #2)
Heat Strip for A/C Unit
Brace & Stub Wire for Future AC Installation (12 Gauge Wire and 20A Breaker; Requires 110V Pkg #2)
Electric Heater: CADET Com-Pak Plus White Wall Fan, 1500 Watt (Requires 110V Pkg #2)

CABINETS (CONTINUED)

Premium Wall-Mounted Coat Hanger (47.5", 10 Hooks)
Premium Ceiling-Mounted Coat Hanger (38", 22 Hooks)
48" Deluxe Boot Box w/Padded Top (Ducted; Requires Furnace Package & Vertical Duct; Not Available for Gooseneck Models)
6' Horizontal Vented Duct (Angled End, 5 Vents)
8' Horizontal Vented Duct (8'x5"x5" w/5 Vents)
Vertical Corner Duct (Requires Furnace Package)
Add Heat Duct (PLF)
Clothes Rod for Overhead Cabinets (48" Cabinets Only)
4' Coat Rack Package (47' Slide Track w/(6) Adjustable Hooks)
18" Shelving w/Angled Gussets (PLF, Per Tier)
Upgrade to Formica Countertop (Base Cabinet Sold Separately)

VENTS & WINDOWS (CONTINUED)

Two-Way Directional Salem Vent Kit (Aluminum; Pair)
18"x24" Horizontal Radius Sliding Window w/Screen
18"x24" Vertical Radius Sliding Window w/Screen
24"x36" Radius Sliding Window w/Screen
24"x36" Egress Sliding Window (Tinted w/Screen)

ENCLOSED SNOW POPULAR OPTIONS CONTINUED

MISC OPTIONS, ACCESSORIES

MISC OPTIONS, ACCESSORIES
Fold Down Bench (12"x48"; Work or Seating)
Fold-Down Padded Bench (48"L) Vertical Design
Premium 50" Fold-Up Padded Bench
Premium 36" Fold-Up Work Bench w/Integrated Tool Storage
Premium Cup Holder
Premium (2) Race Fuel Holder
Premium (3) Race Fuel Holder
Basic Stereo Package – Includes (4) Boss Speakers
20# Propane Tank w/Regulator (Tongue-Mounted Holder Included)

SPECIAL PACKAGES

SPECIAL PACKAGES
Boondocker Package: Upgrade to Quad-Ply Flooring, Wraparound Front Ramp w/Spring Assist (72" Opening), & 6" DP Kick Plate
Basic Heater Package (Deckover Snow): 20# Propane Tank (Tongue-Mounted), White Ceiling, Insulated Walls & Ceiling, 40K BTU Furnace, Safety Kit, Marine Grade Battery & Box, 48" Furnace Cabinet
Basic Heater Package (Deckover DL Snow): 20# Propane Tank (Tongue Mounted), White Luan Walls & Ceiling, Insulated Walls & Ceiling, 40K BTU Furnace, Safety Kit, Marine Grade Battery & Box, 48" Furnace Cabinet
Basic Heater Package (Inline Snow): 20# Propane Tank (Tongue Mounted), White Luan Ceiling, Insulated Walls & Ceiling, 40K BTU Furnace, Safety Kit, Marine Grade Battery & Box, 48" Furnace Cabinet

MISC OPTIONS, ACCESSORIES (CONTINUED)

Upgrade to 30# Propane Tank (From 20# Propane Tank w/Heavy Duty Mount)
Upgrade to Underslung Propane Tank (Requires Package Including Standard Propane Tank; Only Available on Deckover Models)
Stabilizer Jacks
Pair Stabilizer Jacks (Interior Rear; Drop Down; Installed)
Bogey/Caster Wheels (Installed; Pair)
HD Drag Wheels (AH Version)
Scissor Jacks (Camper Style; Pair)
Add Exterior Marine Grade Speakers to Stereo System (Pair)

SPECIAL PACKAGES (CONTINUED)

Deluxe Floor Drain System (Full Width Slot, Exterior Clean Out)
Kicker Stereo Package: (6) Speakers, AMP & Subwoofer, Clarion Face Unit w/Bluetooth Capabilities
Mid-Level Stereo Package: (4) Speakers, AMP & Subwoofer, Pioneer AM/FM/CD Player w/Bluetooth, Battery Sold Separately
Exterior Powder Coat Package (Deckover): Includes Inner & Exterior Door Trims, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim
Exterior Powder Coat Package (Inline): Includes Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles,

RAMP CAPACITY BY MODEL

Ramp Type	Applicable Models	Capacity
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes); AR 2.0 (All Sizes); WR 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes); AR 2.0 (Optional, All Sizes); WR 2.0 (Optional, All Sizes); FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (PAIR)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Patriot Ramps (Fold-Down)	(All Sizes)	4000# (PAIR)
Patriot Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Dump Trailer Ramps (Side-Stow, Optional)	(All Sizes)	4000# (PAIR)
ATV Ramps (83" Wide, Side-Stow)	(All Sizes)	1200# (PAIR)
ATV Ramps (88" Wide, Side-Stow)	(All Sizes)	750# (PAIR)
Open Motorcycle Ramp (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	MU-SLINGSHOT	1500#
Open Car Hauler 2.0 Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler 2.0 Ramps 10K (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler Standard Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Snow Ramp (Rear-Stow)	MFS	750#
Sport Deck (Rear-Stow, Telescoping Ramps)	MSD	1000#
Enclosed Cargo Ramp (4', 5', 6' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (7' 7.5' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (8.5' Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle Ramp (7' Wide)	(All Sizes)	1500#
Enclosed Car Hauler Ramp (8.5' Wide)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Rear)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (Crossover, Rear)	(All Sizes)	1500#

TONGUE EXTENSION BY MODEL

TRAILER TYPE	ALLOWABLE EXTENSION	ADDITIONAL REQUIREMENTS	ITEM NUMBER	DESCRIPTION
Enclosed Cargo (4, 5-Wide)	N/A	FRAME UPGRADE REQUIRED, CONSULT ENGINEERING	N/A	N/A
Enclosed Cargo (6, 7, 7.5-Wide)	12"	ECONOMY MODELS REQUIRE CENTER BEAM UPGRADE	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Cargo (8.5-Wide, Premium)	12" (16" w/ UPGRADE)	MIN 6" FRAME FOR 16" TONGUE EXTENSION, UPGRADE MAY BE REQUIRED	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Motorcycle (7-Wide)	12"		TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Car Hauler (8.5-Wide, Premium)	16"		TONGUE16EXTCH	16" Extended Tongue (For 5k Tandem Axle Enclosed; Trailer Must have 2"x6" Frame or Larger) ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Car Hauler - All Sports (8.5-Wide)	N/A	EXTENDED TONGUE INCOMPATIBLE WITH FRONT RAMP	N/A	N/A
Enclosed Snowmobile (7, 7.5-Wide)	N/A	EXTENDED TONGUE INCOMPATIBLE WITH FRONT RAMP	N/A	N/A
Enclosed Snowmobile (101-Wide)	10"	REQUIRES 3x5 TONGUE UPGRADE w/ STRAIGHT-PULL COUPLER	TBD	TBD

**Please note that all 5k tandem trailers w/ extended tongues require a minimum of 6" base frame, regardless of brand/model