

88" OPEN ATV TRAILERS

102", 10', 12', 14', 18'



102", 10', 12', 14', 18'

STANDARD FEATURES

- > All Aluminum Construction
- > 24" O/C Crossmembers
- > 2"x3" Subframe Tubing
- > Torsion Ride Axles
- > Removable Ramps/Side Panels
- > 1/2" Marine Tech Plywood Decking
- > Rear Edge Protector
- > 4-Way Flat Power Connection
- > Recessed LED Marker Lights
- > 3500# Wishbone Style Coupler w/ 2" Ball
- > (2) 5000# Safety Chains
- > 1-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	ATV DECKOVER 88X102	ATV DECKOVER 88X10	ATV DECKOVER 88X12	ATV DECKOVER 88X14	ATV DECKOVER 88X18
Model Number	MATV88X102W	MATV88X10W	MATV88X12W	MATV88X14W	MATV88X18W
Deck (WxL)	88"x102"	88"x120"	88"x144"	88"x168"	88"x216"
Overall (WxL)	92"x12'6"	92"x14'	92"x16'	92"x18'	92"x22'
Deck Height	23-1/2"	23-1/2"	23-1/2"	23-1/2"	23-1/2"
Hitch Height	18"	18"	18"	18"	18"
Surface Mount D-Rings	4	4	6	6	6
Axle(s) - Qty/Rating	1- 2200# Idler	1-2200# Idler	1-3500# Idler	1-3500# Idler	2-2200# Braked
Wheels	12" E-Rated Silver Mod	12" E-Rated Silver Mod	12" E-Rated Silver Mod	12" E-Rated Silver Mod	12" E-Rated Silver Mod
Tires	ST145/R12E	ST145/R12E	ST145/R12E	ST145/R12E	ST145/R12E
GVWR	2200#	2200#	2990#	2990#	4000#
Curb Weight	380#	430#	450#	475#	835#
Payload	1820#	1770#	2540#	2515#	3565#
Wheel Jack	--	--	1200#	1200#	1200#
Power Connection	4-Way Flat	4-Way Flat	4-Way Flat	4-Way Flat	7-Way Round

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Upgrade to Extruded Aluminum Decking
TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Upgrade to 13" Silver Mod Wheels (From 12" E-Rated Silver Mod)
Upgrade to 15" Silver Mod (From 12" E-Rated Wheels, Includes Drop Tongue)
Spare 12" Silver Mod Wheel w/ 145/R12 Tire
Spare 13" Silver Mod Wheel w/ 175/80R13 Tire
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Upgrade to 12" Aluminum Spoke Wheels (145/R12 Tire; From 12" Silver Mod)
Upgrade to 13" Aluminum (Radial; From 13" Silver Mod Wheels)
Upgrade to 15" Aluminum (Radial; From 15" Silver Mod Radial Wheels)
Bolt-On Spare Tire Carrier (Tongue-Mounted)

AXLE OPTIONS
Upgrade to 2-2K Torsion Idler Axles (From 1-3K Idler; 14' Model, 2990 GVWR)
Upgrade to 2-2K Torsion Braked Axles (From 1-3K Torsion Idler, 14' Model)
RAMP OPTIONS
Side Load Ramps Upgrade (102")
Side Load Ramps Upgrade (120")
Side Load Ramps Upgrade (14')
Side Load Ramps Upgrade (18')
TIE DOWN OPTIONS
Light Duty Surface-Mounted D-Rings (Installed)
Heavy Duty Recessed D-Rings
ACCESSORIES
Add 1200# Tongue-Mounted Wheel Jack
Stabilizer Jacks (Installed; Pair)

RAMP CAPACITY BY MODEL

Ramp Type	Applicable Models	Capacity
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes); AR 2.0 (All Sizes); WR 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes); AR 2.0 (Optional, All Sizes); WR 2.0 (Optional, All Sizes); FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (PAIR)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Patriot Ramps (Fold-Down)	(All Sizes)	4000# (PAIR)
Patriot Ramps 14K (Fold-Down)	(All Sizes)	5000# (PAIR)
Dump Trailer Ramps (Side-Stow, Optional)	(All Sizes)	4000# (PAIR)
ATV Ramps (83" Wide, Side-Stow)	(All Sizes)	1200# (PAIR)
ATV Ramps (88" Wide, Side-Stow)	(All Sizes)	750# (PAIR)
Open Motorcycle Ramp (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	MU-SLINGSHOT	1500#
Open Car Hauler 2.0 Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler 2.0 Ramps 10K (Stow)	(All Sizes)	4000# (PAIR)
Open Car Hauler Standard Ramps (Stow)	(All Sizes)	4000# (PAIR)
Open Snow Ramp (Rear-Stow)	MFS	750#
Sport Deck (Rear-Stow, Telescoping Ramps)	MSD	1000#
Enclosed Cargo Ramp (4', 5', 6' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (7' 7.5' Wide)	(All Sizes)	1500#
Enclosed Cargo Ramp (8.5' Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle Ramp (7' Wide)	(All Sizes)	1500#
Enclosed Car Hauler Ramp (8.5' Wide)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Rear)	(All Sizes)	4000#
Enclosed Gooseneck Ramp (8.5' Wide, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile Ramp (7', 7.5', 101" Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile Ramp (Crossover, Rear)	(All Sizes)	1500#

TONGUE EXTENSION BY MODEL

TRAILER TYPE	ALLOWABLE EXTENSION	ADDITIONAL REQUIREMENTS	ITEM NUMBER	DESCRIPTION
Enclosed Cargo (4, 5-Wide)	N/A	FRAME UPGRADE REQUIRED, CONSULT ENGINEERING	N/A	N/A
Enclosed Cargo (6, 7, 7.5-Wide)	12"	ECONOMY MODELS REQUIRE CENTER BEAM UPGRADE	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Cargo (8.5-Wide, Premium)	12" (16" w/ UPGRADE)	MIN 6" FRAME FOR 16" TONGUE EXTENSION, UPGRADE MAY BE REQUIRED	TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Motorcycle (7-Wide)	12"		TONGUE12EXT	12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Car Hauler (8.5-Wide, Premium)	16"		TONGUE16EXTCH	16" Extended Tongue (For 5k Tandem Axle Enclosed; Trailer Must have 2"x6" Frame or Larger) ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS **
Enclosed Car Hauler - All Sports (8.5-Wide)	N/A	EXTENDED TONGUE INCOMPATIBLE WITH FRONT RAMP	N/A	N/A
Enclosed Snowmobile (7, 7.5-Wide)	N/A	EXTENDED TONGUE INCOMPATIBLE WITH FRONT RAMP	N/A	N/A
Enclosed Snowmobile (101-Wide)	10"	REQUIRES 3x5 TONGUE UPGRADE w/ STRAIGHT-PULL COUPLER	TBD	TBD

**Please note that all 5k tandem trailers w/ extended tongues require a minimum of 6" base frame, regardless of brand/model